

PASHEW

Glyphosate 200g/L + 20g/L 2-4-D

BEFORE



AFTER



Non-selective systemic herbicide for the control of annual and perennial grasses and broadleaved weeds and sprouted trees in non-cropped areas.

PRECAUTIONS:

- Do not use Pashew for weed control in cassava. The 2-4D will kill the cassava plant
- For contact with eyes, immediately hold eyelids open and flush with plenty of water for at least 5 minutes. Get medical attention.
- If inhaled, remove individual to fresh air. If he/she is not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.
- If swallowed, this product will cause gastrointestinal tract irritation. Immediately dilute by swallowing water or milk. Get medical attention. Never give anything by mouth to an unconscious person.

PATRON/PASHEW APPLICATION GUIDE

- Ensure to use a well-functioning sprayer
- Use clean water, free of debris (sieve appropriately)
- Fix and use 2.4m diameter nozzle (Flood).
- Double-rinse the knapsack sprayer and lance by pumping out clean water.
- Half fill the tank with water and measure the appropriate dosage into the knapsack. *Add sticker if rainfall is expected within 6 hours.*
- Fill the sprayer tank with water to 15L and mix the solution by pumping and spraying into the tank, while stirring.
- Ensure there is no leakage before mounting the knapsack sprayer.
- Pump out spray solution whilst maintaining normal pressure for a fine spray mist.

DOSAGE:

150ml-200ml per 15L
knapsack



MANUFACTURED BY

Agro Fortune Company Limited

ORIGIN: CHINA

DISTRIBUTED BY

Agrocrown West Africa Co. Ltd.

First Floor, Ivory Building, 22 Nii
Martey Tsuru St, Spintex Road, Accra

info@agrocrown.com



www.agrocrown.com



+233 34 229 5994



AgroCrown
Farmers' Choice